

WHITEPAPER

BWTS Explained



**Everything you need to
know about Ballast Water
Treatment Systems**

Including rules, guidelines and deadlines

Contents

3

BWTS what?!

4

BMW Guidelines

5

Deadlines

6

BWTS different systems

7

BWTS methods explained

9

Saltwater & BWTS

10

Seamless integration

11

Bibliography

11

Our journey

Colophon | Whitepaper BWTS

Date of issue 2024

Contact

Saltwater Engineering B.V.
Buitendijks 33
3356DB Papendrecht
T +31(0)78-205 15 00
E info@saltwater.nl
W www.saltwater.nl

Pictures

Danny Cornelissen - Portpictures
Maritime, Port & industrial photography



BWTS what?!

Ballast water has been used in shipping for decades. It has proven to be an effective way to provide more stability, reduce stress on the hull and ensure better maneuverability.

Besides the benefits however, the use of ballast water also poses some risks. As ships move across the globe, the inevitable transportation of marine organisms living in ballast water could potentially disrupt or destabilize ecosystems in other parts of the world.


Ballast Water Treatment Systems (in short BWTS) play an important role in managing ballast water and reducing ecological and health risks. As per the BWM Convention of 2014 vessels are required to comply with certain guidelines and standards. In this whitepaper you will find everything you need to know on BWTS and the requirements for vessels.



80% of world trade
is carried by ships



Up to **5 billion tonnes** of
ballast water is transferred
throughout the world annually



Transfer of **10.000**
unwanted species daily



BWM Guidelines

To address the situation, IMO and the Marine Environment Protection Committee (MEPC) adopted guidelines in 1991; International Guidelines for preventing the introduction of unwanted aquatic organisms and pathogens from ships' ballast water and sediment discharges.

Intense negotiations between members of the IMO resulted in the acceptance of a new resolution in 2014 called 'The International Convention for the Control and Management of Ship's Ballast Water and Sediments' (BWM Convention). To comply with the convention, regulations of the technical resolutions described below must be met. International Convention for the Control and Management of Ships' Ballast Water and Sediments (BWM) 2004 and its guidelines:

• MEPC.300(72)	Code for approval of Ballast Water Management Systems (BWMS Code)
• MEPC.152(55)	Guidelines for sediment reception facilities (G1)
• MEPC.173(58)	Guidelines for ballast water sampling (G2)
• MEPC.123(53)	Guidelines for ballast water management equivalent compliance (G3)
• MEPC.127(53)	Guidelines for ballast water management and development of ballast water management plans (G4)
• MEPC.153(55)	Guidelines for ballast water reception facilities (G5)
• MEPC.288(71)	2017 Guidelines for ballast water exchange (G6)
• MEPC.289(71)	2017 Guidelines for risk assessment under regulation of the BWM convention (G7)
• MEPC.279(70)	2016 Guidelines for approval of ballast water management systems (G8)
• MEPC.169(57)	Procedure for approval of ballast water management systems that make use of active substances (G9)
• MEPC.140(54)	Guidelines for approval and oversight of prototype ballast water treatment technology programs (G10)
• MEPC.149(55)	Guidelines for ballast water exchange design and construction standards (G11)
• MEPC.209(63)	2012 Guidelines on design and construction to facilitate sediment control on ships (G12)
• MEPC.161(56)	Guidelines for additional measures regarding ballast water management incl. emergency situations (G13)
• MEPC.151(55)	Guidelines on designation of areas for ballast water exchange (G14)
• MEPC.387(81)	Interim guidance on the application of the BWM Convention to ships operating in challenging water quality conditions
• MEPC.372(80)	Guidelines for the use of electronic record books under the BWM Convention
• MEPC.298(72)	Determination of the survey referred to in regulation B-3, as amended, of the BWM Convention
• MEPC.290(71)	The experience-building phase associated with the BWM Convention
• MEPC.252(67)	Guidelines for port State control under the BWM Convention
• MEPC.228(65)	Information reporting on type approved ballast water management systems
• MEPC.206(62)	Procedure for approving other methods of BWM in accordance with regulation B-3.7 of the BWM Convention

These regulations, amongst others, specify testing and verification protocols to determine if the ballast water has been sufficiently treated. In 2005, and updated in 2008, the IMO released Guidelines for the type approval of BWMS by flag administrations. The guidelines are applied differently by flag administrations, and they do not require type approval testing to be conducted by an organization independent of the manufacturer. It is important to note that the ballast water discharge standards in the **flag administrations** and the **IMO BWM Convention** are similar, but not the same.

Please note that U.S. type approval testing procedures are mandatory, detailed, and specify testing that is independent from manufacturers. The discharge standard in regulation D-2 of the BWM Convention is written in terms of "viable" (meaning able to reproduce) organisms, while the Coast Guard's discharge standard is written in terms of "living" organisms. Also, as noted here, the testing requirements to prove that a BWMS meets the discharge standards, are different.

Deadlines

IMO & USCG


The convention was brought to life to prevent the spread of harmful organisms living in the sea, which are transported from one region to another using Ballast Water. This treaty requires all international seagoing ships under the convention to implement a Ballast water management plan. This plan will enable the ship to manage the sediment and the ballast water discharge. Besides the above IMO has also adopted several guidelines in the treaty.

These guidelines contain several procedures, norms and guidelines to which all vessels need to comply in the (near) future.

The US Coast Guard handles somewhat different dates as deadlines to meet the regulations.

D1 & D2 standards

- All new ships must comply to the D2 standard.
- Until the date when they have to meet the D2 standard, existing ships should exchange ballast water mid-ocean, to meet the D1 standard.
- Over time, all ships will have to meet the D2 standard.
- 'Renewal survey' refers to the OPPC renewal survey under MARPOL Annex I.



D1

standard requiring ships to exchange ballast water in open seas, away from coastal areas. Few organisms survive.

International Maritime Organization

2017 ✓ **Existing ships** built prior to 8 September 2017 must meet the D1 standard until their D2 compliance date.

All ships must have:

- ballast water management plan
- ballast water record book
- International Ballast Water Management certificate

D2

standard specifying the maximum amount of viable organisms allowed to be discharged, including specified indicator microbes harmful to human health. Usually involves installing ballast water management system.

International Maritime Organization

2017 ✓ **New ships** built on or after 8 September 2017 must meet D2 standard.

2019 ✓ **Existing ships** with renewal survey after 8 September 2019 must meet D2 standard by this renewal survey.

2024 ✓ **All ships** must meet D2 standard by 8 September 2024.

United States Coast Guard

2013 ✓ **New ships** constructed on or after 1 December 2013 must meet D2 standard on delivery.

2014 ✓ **Existing ships** with a ballast capacity between 1.500-5.000 m3 must meet D2 standard by first drydocking after 1 January 2014.

2016 ✓ **Existing ships** with a ballast capacity less than 1.500 m3 must meet D2 standard by first drydocking after 1 January 2016.

2016 ✓ **Existing ships** with a ballast capacity greater than 5.000 m3 must meet D2 standard by first drydocking after 1 January 2016.

BWTS different systems

A variety of factors such as type of vessel, available space and cost limitations can have an impact on the choice of treatment system. There are approximately 60 approved systems on the market, which also does not help in making the right choice. We will explain four different treatment methods in depth in the next chapter 'BWTS methods explained'.

Most ballast water treatment systems combine multiple treatment methods which are divided into several stages. In most systems the treatment process typically comprises two stages: physical separation / filtration and chemical disinfection.

1

Stage 1 Physical Separation/ Filtration

The first stage uses physical separation or filtrations systems to separate marine organisms and suspended solid materials from the ballast water using sedimentation or surface filtration systems.

The suspended/filtered solids and waste (backwashing) from the filtration process is either discharged in the area from where the ballast is taken or further treated on board ships before discharging.

2

Stage 2 Chemical disinfection


The second stage employs some disinfectant technology. Biocides (Oxidizing and non-oxidizing) are disinfectants which have been tested to potentially remove invasive organisms from ballast water.

Biocides removes or inactivates marine organisms in the ballast water. However, it is to note that the biocides used for ballast water disinfectant purpose must be effective on marine organisms and be readily degradable or removable to prevent discharge water from becoming toxic in nature.

BWTS methods explained

UV Treatment method


The Figure below shows an overview of the UV treatment method. Large aquatic organisms are removed together with dirt in the first stage filter. Ultraviolet ballast water treatment method consists of UV lamps which surround a chamber through which the ballast water can pass. The UV lamps (Amalgam lamps) produce ultraviolet rays which acts on the DNA of the organisms and make them harmless and prevent their reproduction. This method has been successfully used globally for water filtration purpose and is effective against a broad range of organisms. However, micro-organisms, fungi, etc. may regenerate in the tanks since this treatment system does not use chemicals. Therefore, ballast water needs to be treated by the BWT system again before it is discharged.



UV treatment system

Gas Treatment method

Another system is the gas treatment method. When filling ballast water, Inert gas is blown into the ballast water using a Venturi tube, the oxygen concentration of water is reduced, and ballast water is sterilized. The oxygen concentration of inert gas is lower than 0.1%. In addition, some systems also use ozone which has strong disinfection. These treatment methods require a neutralization process to extract the harmful substances (such as ozone) from the treated ballast water prior to discharging.



Gas treatment system


BWTS methods explained



Electrolysis method

This treatment method uses filtration & cavitation. The uptake ballast water is passed through filters and large aquatic organisms and dirt more than 50 microns are removed. Screens (fixed or movable) or discs are used to effectively remove suspended solid particles from the ballast water. Screen filtration is effective for removing suspended solid particles of larger size but is not very handy in removing particles and organisms of smaller sizes. Another method of removing solids is the application of a hydrocyclone. A hydrocyclone does not have a moving part, it is easy to install, operate and maintain on board ships. It uses high velocity centrifugal forces to rotate the water to separate the solids.

Cavitation damages the cell membranes of organisms and nitrogen gas purified onboard and hydroxyl ions generated by electrolysis are added to sterilize and to kill aquatic organisms and fungi.




Electrolysis method



Magnetic separation method

This treatment system is designed against aquatic-, micro-organisms, and microbes in which magnetic powder is fed to the ballast water during its filling, the water is agitated, and magnetic separation is performed. No chemicals for sterilization are used. The aqueous ingredients in ballast water are also unchanged, and re-treatment of discharged water, neutralization, etc., is not necessary.




Magnetic separation system

Saltwater & BWTS

Although the push for guidelines on handling ballast water is broadly supported by the industry, many ship owners and operators are struggling to meet the set requirements and deadlines. Over 70.000 vessels are impacted by the guidelines set by the BWM Convention and by 2024 all ships will have to meet the D2 standard (which in most cases require the installation of a ballast water treatment system).

Saltwater offers a turn-key solution for the placement of ballast water treatment systems on vessels. Our team assists in the selection of BWTS but also offers a complete engineering package needed to install the system. Our integrated, full-service solution ensures vessels are compliant while minimizing the hassle for owners and operators.

We support you in both the approval phase with the Class Societies as well as in the engineering and production phase with a complete engineering package for the machinery foundations, pipe spools (isometrics) and all other related items in the fabrication and installation.



Custom BWTS design for Stout Technisch Installatieburo B.V.



BWTS system was installed on the 'Palmgracht'.

Standard workflow

Saltwater consistently aims to engage the end user in the system development process. This is based on the understanding that, without this involvement, feedback regarding preferred system configurations often arises later. Adjusting at that stage can pose significant challenges.

The technical challenge lies in coordinating information among various suppliers. The primary hurdle involves extracting specific details to fully integrate the system. Emphasizing a customer-centered strategy in all undertakings, Saltwater strives for exceptional quality in every facet of its services. With the belief that this holistic approach not only meets but surpasses expectations.



Step 1

Initially, we collect data regarding the physical environment where the system will be deployed, gathering details like dimensions, capacity etc.



Step 2

Utilize this data to formulate an initial system design, taking into account the spatial constraints inherent to the installation environment.



Step 3

Convert the preliminary design into a 3D model to facilitate the installation process and resolve any potential clashes.



Step 4

Subsequently, create structural drawings for the system and the skid on which it will be installed.



Step 5

If re-routing occurs during the integration of the system, the drawings can be updated to reflect the as-built configuration.

Seamless integrations

Saltwater's primary focus in System integrations involves the design, assembly, and implementation of a system or multiple systems within a vessel or unit. Saltwater's engagement with different systems highlights a broad spectrum of projects such as: Steering arrangements, propulsion arrangements, switchboards arrangements, HVAC diagrams, cooling water arrangements, stabilizer arrangements and many more.

One system Saltwater frequently integrates is a ballast water treatment system. Various components are supplied by different vendors. Saltwater is responsible for the design of the system and seamless integration into the vessel, including the different interfaces from other disciplines. Saltwater provides space reservation for electrical components, cable trays for the required wiring. When it comes to piping, Saltwater can deliver a comprehensive service, typically utilizing a design strategy that transitions from larger to smaller pipe diameters in the configuration of the system.

What sets us apart?


- /// Strong partnerships ensuring seamless project execution
- /// The design process is shaped through collaborative input from end-users
- /// Our standard design flow typically transitions from large to small diameters
- /// We work exclusively with industry-standard software
- /// Final deliverables conform industry standards



Are you facing a challenge?
Get in touch with one of our consultants



About us



Everything is possible

Saltwater provides customized engineering solutions for the naval and offshore industry. Our key to success lies in putting your needs at center stage. Understanding your challenges enables us to deliver practical, quality products and clever solutions and making everything possible.

Mission

Our mission at Saltwater is to engineer and develop maritime solutions that reduce the environmental impact and support a low carbon footprint. We are committed to provide innovative and efficient engineering services that meet the needs of our clients while guaranteeing safety and quality.

Vision

At Saltwater, our vision is to be a leading force in the maritime

engineering industry, striving for positive change through socially responsible practices. We envision a future where our engineering solutions help to create a healthier and more sustainable world. We are committed to ship conversions and new vessel designs, encouraging a culture of young innovators and collaborating with our partners and clients to achieve our shared goals.

Sander Broekmeulen - CEO





SALTWATER
Custom naval engineering solutions

Buitendijks 33
3356 LX Papendrecht
The Netherlands



T +31(0)78-205 15 00
E info@saltwater.nl
W www.saltwater.nl

Whilst every effort has been made to ensure that the information in this document is correct, Saltwater Engineering will not accept any responsibility for errors or for any consequences as a result.